



## Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact [support@jstor.org](mailto:support@jstor.org).

# PUBLIC HEALTH REPORTS

ISSUED WEEKLY

BY THE

UNITED STATES PUBLIC HEALTH SERVICE

---

CONTAINING INFORMATION OF THE CURRENT  
PREVALENCE OF DISEASE, THE OCCURRENCE  
OF EPIDEMICS, SANITARY LEGISLATION, AND  
RELATED SUBJECTS

---

VOLUME 32

NUMBER 10

MARCH 9, 1917



WASHINGTON  
GOVERNMENT PRINTING OFFICE  
1917

UNITED STATES PUBLIC HEALTH SERVICE.

RUPERT BLUE, *Surgeon General*.

DIVISION OF SANITARY REPORTS AND STATISTICS.

Asst. Surg. Gen. JOHN W. TRASK, *Chief of Division*.

The PUBLIC HEALTH REPORTS are issued weekly by the United States Public Health Service through its Division of Sanitary Reports and Statistics, pursuant to acts of Congress approved February 15, 1893, and August 14, 1912.

They contain: (1) Current information of the prevalence and geographic distribution of preventable diseases in the United States in so far as data are obtainable, and of typhus fever, cholera, plague, yellow fever, smallpox, and other communicable diseases throughout the world. (2) Sanitary legislation, including court decisions on matters relating to public health administration and the laws and regulations being enacted or adopted by State and municipal authorities for the safeguarding of the public health. (3) Articles relating to the cause, prevention, or control of disease. (4) Other pertinent information regarding sanitation and the conservation of the public health.

The PUBLIC HEALTH REPORTS are intended primarily for distribution to health officers, members of boards or departments of health, and those directly or indirectly engaged in or connected with public health or sanitary work. Articles of general or special interest are issued as reprints from the PUBLIC HEALTH REPORTS or as supplements, and in these forms are available for general distribution to those desiring them.

Requests for and communications regarding the PUBLIC HEALTH REPORTS, reprints, or supplements should be addressed to the Surgeon General, United States Public Health Service, Washington, D. C.

---

ADDITIONAL COPIES

OF THIS PUBLICATION MAY BE PROCURED FROM  
THE SUPERINTENDENT OF DOCUMENTS  
GOVERNMENT PRINTING OFFICE  
WASHINGTON, D. C.

AT

5 CENTS PER COPY

SUBSCRIPTION PRICE, \$2.00 PER YEAR

△

## CONTENTS.

	Page.
The activity of wild American digitalis.....	377
<b>PREVALENCE OF DISEASE.</b>	
United States:	
Cerebrospinal meningitis—	
State reports for January, 1917.....	381
City reports for week ended February 17, 1917.....	381
Erysipelas—	
City reports for week ended February 17, 1917.....	382
Leprosy—	
City reports for week ended February 17, 1917.....	382
Malaria—	
State reports for January, 1917.....	382
Measles—	
California—Los Angeles.....	383
Illinois—Cairo .....	383
Texas—Hill County .....	383
Washington—Seattle .....	383
Pellagra—	
State reports for January, 1917.....	383
City reports for week ended February 17, 1917.....	383
Pneumonia—	
City reports for week ended February 17, 1917.....	384
Poliomyelitis (infantile paralysis)—	
State reports for January, 1917.....	384
City reports for week ended February 17, 1917.....	384
Rabies in animals—	
City reports for week ended February 17, 1917.....	385
Smallpox—	
Connecticut.....	385
Minnesota .....	385
Texas—Galveston .....	385
State reports for January, 1917.....	385
Miscellaneous State reports.....	387
City reports for week ended February 17, 1917.....	388
Tetanus—	
City reports for week ended February 17, 1917.....	388
Typhoid fever—	
State reports for January, 1917.....	388
City reports for week ended February 17, 1917.....	390
Typhus fever—	
Texas.....	390
Diphtheria, measles, scarlet fever, and tuberculosis—	
State reports for January, 1917.....	391
City reports for week ended February 17, 1917.....	391

## Foreign:

	Page.
Brazil—	
Yellow fever—Victoria.....	394
Cuba—	
Communicable diseases—Habana.....	394
Japan—	
Plague—Subsidence at Nagoya and Yokkaichi.....	394
Mexico—	
Typhus—Durango.....	394
Peru—	
Paragonimiasis—Made notifiable.....	395
Cholera, plague, smallpox, typhus fever, and yellow fever—	
Reports received during the week ended March 9, 1917—	
Cholera.....	395
Plague.....	395
Smallpox.....	396
Typhus fever.....	396
Yellow fever.....	396
Reports received from December 30, 1916, to March 2, 1917—	
Cholera.....	397
Plague.....	398
Smallpox.....	399
Typhus fever.....	401
Yellow fever.....	402